

Migration Guide

PM4i and PF4i/2i to PM43/43c/23c Label Printers



PM4i to PM43 Migration Options

Legacy Printer	Legacy Printer Features	PM Series Equivalent	Last Digit Power Cord 1=US, 2=EU	PM Series Description
PM4D010000000020	PM4D, TT, Ethernet, 203dpi	PM43A1100000020_	1 or 2	PM43, LCD Touch Panel, TT, 203dpi
		PM43A0100000020_	1 or 2	PM43, Icon, TT, 203dpi
		PM43A1100000021_	1 or 2	PM43, LCD Touch Panel, DT, 203dpi
		PM43A0100000021_	1 or 2	PM43, Icon, DT, 203dpi
PM4D010000005020	PM4D, TT, Ethernet, 203dpi, Label Dispenser/Rewinder	PM43A1100004020_	1 or 2	PM43, LCD Touch Panel, TT, 203dpi, Label Dispenser/Rewinder
		PM43A0100004020_	1 or 2	PM43, Icon, TT, 203dpi, Label Dispenser/ Rewinder
PM4D010000000030	PM4, TT, Ethernet, 300dpi	PM43A1100000030_	1 or 2	PM43, LCD Touch Panel, TT, 300dpi
		PM43A0100000030_	1 or 2	PM43, Icon, TT, 300dpi
PM4D020000000020	PM4D, TT, 203dpi, Wireless	PM43A1200000020_	1 or 2	PM43, LCD Touch Panel, TT, 203dpi, Wireless
		PM43A1200000040_	1 or 2	PM43, LCD Touch Panel, TT, 406dpi, Wireless
PM4D010000000040	PM4, TT, Ethernet, 400dpi	PM43A1100000040_	1 or 2	PM43, LCD Touch Panel, TT, 406dpi
		PM43A1100004020_ Add RTC (Available 09/12)	1 or 2	PM43, LCD Touch Panel, TT, 203dpi, Label Dispenser/Rewinder + RTC
		PM43A1100004121_	1 or 2	PM43, LCD Touch Panel, DT, 203dpi, Label Dispenser / Rewinder, RTC
PM4D010000005120	PM4D, TT, Ethernet, 203dpi, Label Dispenser/ Rewinder, RTC	PM43A0100004121_	1 or 2	PM43, Icon, DT, 203dpi, Label Dispenser/ Rewinder, RTC
		PM43A1100000020_ Add Parallel (270-188-001)	1 or 2	PM43, LCD Touch Panel, TT, 203dpi + Parallel port
		PM43A0100000020_ Add Parallel (270-188-001)	1 or 2	PM43, Icon, TT, 203dpi + Parallel port
PM4D011000000020	PM4, TT, Ethernet, 203dpi, Parallel Port	PM43A1101000021_	1 or 2	PM43, LCD Touch Panel, DT, 203dpi, Parallel Port
		PM43A1100000020_ Add Parallel (270-188-001)	1 or 2	PM43, LCD Touch Panel, TT, 203dpi, Rewinder, RTC, RFID EU
PM4D010500005120	PM4, TT, Ethernet, 203dpi, Label Dispenser/ Rewinder, Parallel Port	PM43A1100004020_ Add Parallel (270-188-001)	1 or 2	PM43, LCD Touch Panel, TT, 203 dpi, Label Dispenser/Rewinder + Parallel Port
		PM43A1101004021_	1 or 2	PM43, LCD Touch Panel, DT, 203dpi, Label Dispenser/Rewinder, Parallel Port
PM4D011400005120	PM4D, TT, Ethernet, 203dpi, RFID US, Label Dispenser/Rewinder, RTC	PM43A11NA004120_	1	PM43, LCD Touch Panel, TT, 203dpi, Label Dispenser/Rewinder, RTC, RFID US

PM43 Connectivity Options

Standard: USB X2, USB Host, Ethernet 10/100 Mbps, Serial RS-232

Optional: Parallel IEEE 1284, Industrial Interface, DUART, Dual USB Host/Boot, Wi-Fi 802.11 b/g/n & Bluetooth

PF4i to PM43c Migration Options

Legacy Printer	Legacy Printer Features	PM Series Equivalent	Last Digit Power Cord 1=US, 2=EU	PM Series Description
PF4ID00100000020	PF4, TT, Ethernet, 203dpi, Normal Door	PM43CA113000020_	1 or 2	PM43c, LCD Touch Panel, TT, 203dpi
		PM43CA010000020_	1 or 2	PM43c, Icon, TT, 203dpi
PF4ID00100000021	PF4, DT, Ethernet, 203dpi, Normal Door	PM43CA113000021_	1 or 2	PM43c, LCD Touch Panel, DT, 203dpi
		PM43CA010000021_	1 or 2	PM43c, Icon, DT, 203dpi
PF4ID00100001021	PF4, DT, Ethernet, 203dpi, Normal Door, Label Dispenser	PM43CA113004021_	1 or 2	PM43c, LCD Touch Panel, DT, 203dpi, Rewinder
		PM43CA010004021_	1 or 2	PM43c, Icon, DT, 203dpi, Rewinder
PF4ID00100001120	PF4, TT, Ethernet, 203dpi, Normal Door, Label Dispenser, RTC	PM43CA113004120_	1 or 2	PM43c, LCD Touch Panel, TT, 203dpi, Rewinder, RTC
		PM43CA114004120_	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 203dpi, Short Door, Rewinder, RTC
PF4ID00100001020	PF4, TT, Ethernet, 203dpi, Normal Door, Label Dispenser	PM43CA113004020_	1 or 2	PM43c ,LCD Touch Panel, TT, 203dpi, Rewinder
PF4ID00110000021	PF4, DT, Ethernet, 203dpi, Normal Door, Parallel Port	PM43CA010010021_	1 or 2	PM43c, Icon, DT, 203dpi, Parallel Port
PF4ID01100000021	PF4, DT, Ethernet, 203dpi, Short Door	PM43CA011010021_	1 or 2	PM43c, Icon, DT, 203dpi, Short Door
PF4ID01100001120	PF4, TT, Ethernet, 203dpi, Short Door, Label Dispenser, RTC	PM43CA114004120_	1 or 2	PM43c, LCD Touch Panel, TT, 203dpi, Short Door, Rewinder, RTC
PF4ID01100001121	PF4, DT, Ethernet, 203dpi, Short Door, Label Dispenser, RTC	PM43CA114004121_	1 or 2	PM43c, LCD Touch Panel, DT, 203dpi, Short Door, Rewinder, RTC
PF4ID011000001130	PF4, TT, Ethernet, 300dpi, Short Door, Label Dispenser, RTC	PM43CA114004130_	1 or 2	PM43c, LCD Touch Panel, TT, 300dpi, Short Door, Rewinder, RTC
PF4ID01200010021	PF4, DT, Ethernet, 203dpi, Short Door, Wireless, Rewinder	PM43CA123004021_	1 or 2	PM43c, LCD Touch Panel, DT, 203dpi, Rewinder, Wireless
		PM43CA020000021_	1 or 2	PM43c, Icon, DT, 203dpi, Wireless
PF4ID02100000020	PF4, TT, Ethernet, 203dpi, Dome Door	PM43CA115000020_	1 or 2	PM43c, LCD Touch Panel, TT, 203dpi, Dome Door
PF4ID03100030020	PF4, TT, Ethernet, 203dpi, Industrial Dome Door			

PM43c Connectivity Options

Standard: USB, USB Host, Ethernet 10/100 Mbps, Serial RS-232

Optional: Parallel IEEE 1284, Industrial Interface, DUART, Dual USB Host/Boot, Wi-Fi 802.11 b/g/n & Bluetooth

PF2i and 3240 to PM23c Migration Options

Legacy Printer	Legacy Printer Features	PM Series Equivalent	Last Digit Power Cord 1=US, 2=EU	PM Series Description
Non-Airline Configurations				
PF2ID00100001121	PF2I Non-Airline, Long Door, Rewinder, RTC, DT203	PM23CA010002121_	1 or 2	PM23C Icon, Long Door, Rewinder, RTC, DT, 203 dpi
		PM23CA110002121_	1 or 2	PM23C Full Touch, Long Door, Rewinder, RTC, DT, 203 dpi
PF2ID00100000020	PF2I Non-Airline, Long Door, TT203	PM23CA010000020_	1 or 2	PM23C Icon, Long Door, TTR, 203 dpi
		PM23CA110000020_	1 or 2	PM23C Full Touch, Long Door, TTR, 203 dpi
PF2ID00100000021	PF2I Non-Airline, Long Door, DT203	PM23CA010000021_	1 or 2	PM23C Icon, Long Door, DT, 203 dpi
PF2ID01100000020	PF2I Non-Airline, Short Door, TT203	PM23CA011000020_	1 or 2	PM23C Icon, Short Door, TT, 203 dpi
3240B0010000	3240B, US115, No Internet, 128KI, Standard	PM23CA112002140_	1 or 2	PM23C Full Touch, Dome Door, Rewinder, RTC, TTR, 406 dpi
No Equivalent Legacy Configuration		PM23CA110002130_	1 or 2	PM23C Full Touch, Long Door, Rewinder, RTC, TTR, 300dpi
No Equivalent Legacy Configuration		PM23CA112002240_	1 or 2	PM23C Full Touch, Touchless, Dome Door, Rewinder, RTC, TTR, 406 dpi (Demo ONLY)
Airline Configurations - These configurations are specials (not in the price guide)				
PF2TE810000221XX*	PF2T Airline, US, SH, HGR, LTS, DT, 203	PM23TA0400121XX_*	1, 2, 3...	PM23TA, Icon, ETH, Short Door, FAD, LTS, HGR, DT203, EU+RTC
PF2TE820000221XX*	PF2T Airline, US, DOME, HGR, LTS, DT, 203	PM23TA0500121XX_*	1, 2, 3...	PM23TA, Icon, ETH, BT, FAD, LTS, HGR, DT203, EU+RTC
PF2TE810000221XX*	PF2T Airline, US, SH, HGR, LTS, DT, 203	PM23TA1400121XX_*	1, 2, 3...	PM23TA, FT, ETH, SH, FAD, LTS, HGR, DT203, EU+RTC
PF2TE820510221XX*	PF2T Airline, DOME, RFID ETSI, LH, LTS, DT, 203	PM23TA15EU121XX_*	1, 2, 3...	PM23TA, FT, ETH, BT, FAD, RFID EU, LTS, HGR, DT203, EU+RTC
PF4TE810000223XX*	PF4T Airline, US, HALF, HGR, LTS, DT, 203, S2	PM43TA1100121XX_*	1, 2, 3...	PM23TA, FT, ETH, Short Door, DT 203 dpi
		PM43TA1100121XX_*	1, 2, 3...	PM23TA, Icon, ETH, Short Door, DT 203 dpi

* "XX" in the model number denotes airline model (XX = A1 for AEA; S1 or S2 for SITA; M1 or M2 for Amadeus; R1 or R2 for ARINC)

PM23c Connectivity Options

Standard: USB, USB Host, Ethernet 10/100 Mbps, Serial RS-232

Optional: Parallel IEEE 1284, Industrial Interface, DUART, Dual USB Host/Boot, Wi-Fi 802.11 b/g/n & Bluetooth